

# 1/2" SOCKET WRENCHES



EGA Master offers a wide range of socket wrenches, both shallow and deep range series, together with a large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.

1/4", 3/8", 1/2", 3/4" and 1" square drive hand-operated sockets and 3/8", 1/2", 3/4", 1", 1.1/2", 2.1/2" and 3.1/2" square drive impact sockets wrenches, being the only in the sector offering such a wide range.

**1.** 6 and 12 edges both in mm and inches.

**2.** The sockets are made of chrome-vanadium steel, designed to withstand high tightening torques with minimal wear, providing the same greater durability.



**3.** A large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.

#### TECHNICAL SPECIFICATIONS


MATERIAL	Cr-V
MINIMUM HARDNESS	39 HRC.*

\*Minimum hardness for socket wrenches and accessories except for reversible ratchet wrench 62606 for which it is 44 HRC and 57410, 57413 and 57416 for which it is 42-46 HRC.


**SOCKET WRENCHES 1/2" STANDARD**

■ MM

■ 6 PT. - 1/2"



■ 12 PT. - 1/2"



COD.	AF <sup>±</sup> mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
61800	8		13				75	48		
61801	9		14		13		95	48		
61802	10		15				147	49		
61803	11		17				178			
61804	12		18	22			212	50	25	
61805	13		19				249			
61806	14		20				288			
61807	15	38	22		14		331	55		
61808	16		24				377	60		
61809	17		24				425	65	20	
61810	18		26	23			477	75		
61811	19		26	23		6	531			
61812	x 20		28	24	15		80	15		
61813			30				110			
61814			32	26	16		115	10		
61815		40	34	28	18		130			
61816		41	34	28	18		130			
61817		42	36	30			165	8		
61818		44	40	32	21		210			
61819		44	40	32	22		210			
61820		45	42	38	26		210	7		

COD.	AF <sup>±</sup> mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g	Icon 1	Icon 2
61380	8		13				75	48		
61381	9		14		13		95	48		
61382	10		15				147	49		
61383	11		17				178			
61384	12		18	22			212	50	25	
61385	13		19				249			
61386	14		20				288			
61387	15	38	22		14		331	55		
61388	16		24				377	60		
61389	17		24				425	65	20	
61390	18		26	23			477	75		
61391	19		26	23			531			
61392	x 20		28	24	15	12	80	15		
61393			30				110			
61394			32	26	16		115	10		
61395		40	34	28	18		130			
61396		41	34	28	18		130			
61397		42	36	30			165	8		
61398		44	40	32	21		210			
61399		44	40	32	22		210			
61400		45	42	38	26		210	7		
61401		45	44	38	26		250			
61402		46	48	42	22		335			
59994		45	44	38	26		250	7		
59995		46	48	42	22		335			

○ | DIN 3124 N.m\* Maximum torque


○ | DIN 3124 N.m\* Maximum torque

x 50% aerospace chrome plating - 50% mirror polished chrome plating

**SOCKET WRENCHES 1/2" STANDARD**

■ INCH


■ 6 PT. - 1/2"



COD.	$\frac{A}{B}$ inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g		
60460	5/16		13		13		75	46		
60461	3/8		15				147	49		
60462	7/16		17				178	50		
60463	1/2		19				249		25	
60464	9/16		20	22			288	55		
60465	19/32		22		14		331			
60466	5/8	38					377			
60459	21/32		24				425	65		
60467	11/16						477	70	20	
60468	3/4		26	23		6	531	80		●
60469	25/32	x	28	24						
60470	13/16		30	25			85	15		
60471	7/8		32	26	18		95			
60472	15/16		33	28			125	10		
60473	31/32	40	34	28			135			
60474	1		36							
60475	1.1/16	42	38	32	19		185		8	
60476	1.1/8		40	22						
60477	1.3/16	44	42	34	23		210	7		
60478	1.1/4									

| DIN 3124 N.m\* Maximum torque

■ 12 PT. - 1/2"



COD.	$\frac{A}{B}$ inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g		
60480	5/16		13		13		75	46		
60481	3/8		15				147	49		
60482	7/16		17				178	50		
60483	1/2		19				249		25	
60484	9/16		20	22			288	55		
60485	19/32		22		14		331			
60486	5/8	38					377			
60479	21/32		24				425	65		
60487	11/16						477	70	20	
60488	3/4		26	23		12	531	80		●
60489	25/32	x	28	24						
60490	13/16		30	25			85	15		
60491	7/8		32	26	18		95			
60492	15/16		33	28			125	10		
60493	31/32	40	34	28			135			
60494	1		36							
60495	1.1/16	42	38	32	19		185		8	
60496	1.1/8		40	22						
60497	1.3/16	44	42	34	23		210	7		
60498	1.1/4									


| DIN 3124 N.m\* Maximum torque

x 50% aerospaceal chrome plating - 50% mirror polished chrome plating


**SOCKET WRENCHES 1/2" LONG PATTERN**

■ MM

■ 6 PT. - 1/2"



■ 12 PT. - 1/2"



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
65044	10		16			147				
65045	11		17			178	110			
65046	12		18		22	212				
65047	13		19			249	115			
65048	14		21			288				
65049	15		22			331	125			
65050	16		22	26		377				
65051	17		24			425	130			
65052	18		24			477	150			
65053	19		26			531	165			
65054	x 21	75	28		6	180		10	●	
65055	22		30			210				
65056	23		32			240				
65057	24		32	32		260				
67770	26		36			330				
67771	27		36			350	569			
67772	28		38			380				
67773	29		40			420				
67774	30		40			420				
67775	32		42			460				

● DIN 3124 N.m\* Maximum torque

COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icon 1	Icon 2	Icon 3
67780	10		16			147	110			
67781	11		17			178				
67782	12		18		22	212				
67783	13		19			249	115			
67784	14		21			288				
67785	15		22			331	125			
67786	16		22	26		377				
67787	17		24			425	130			
67788	18		24			477	150			
67789	19		26			531	165			
59996	x 20	75	28		12	170		10	●	
67791	21		30			180				
67792	22		30			210				
67793	23		32			240				
67794	24		32	32		260				
59997	25		34			250	569			
67795	26		36			330				
67796	27		36			350				
67797	28		38			380				
67798	29		40			420				
67799	30		40			420				
67800	32		42			460				


● DIN 3124 N.m\* Maximum torque

x 50% aerospace chrome plating - 50% mirror polished chrome plating


**SOCKET WRENCHES 1/2" LONG PATTERN**

■ INCH

■ 6 PT. - 1/2"



■ 12 PT. - 1/2"



COD.	AF <sup>inch</sup>	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icons
65064	3/8		15			147	105	
65065	7/16		17	24		178	115	
65066	1/2		19	27		249		
65067	9/16		21			288	120	
65068	5/8		22			377		
65069	y 11/16	75	24		6	477	125	10 ●
65070	3/4		26	34		531	150	
65071	13/16		27			170		
65072	7/8		30			569	210	
65073	15/16		32			250		


● | DIN 3124 N.m\* Maximum torque

COD.	AF <sup>inch</sup>	L (mm)	A (mm)	B (mm)	Pt	N.m*	g	Icons
67805	3/8		15			147	105	
67806	7/16		17	24		178	115	
67807	1/2		19	27		249		
67808	9/16		21			288	120	
67809	5/8		22			377		
67810	11/16		24			477	125	
67811	3/4		26			531	150	
67812	y 13/16	75	27		12	170		10 ●
67813	7/8		30	34		210		
67814	15/16		32			250		
67815	1		34			569	280	
67816	1.1/16		36			330		
67817	1.1/8					370		
67818	1.1/4		38			455		

● | DIN 3124 N.m\* Maximum torque

y 100% mirror polished chrome plating


## SOCKET WRENCHES 1/2" TORX®\*



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
57179	E10		15		10	55		
57180	E11		17		11	57		
57181	E12		18			62		
57182	E14		20	22	13	67		
57183	E16	38	21			73	10	•
57184	E18		24			80		
57185	E20				14			
57186	E22		26	23				
57187	E24		28	25		102		



## SOCKET WRENCHES 1/2" SPLINE



COD.					L (mm)	A (mm)	B (mm)	C (mm)			
55795	M12	10	-	-		15,5			47		
55811	-	-	3/8	-							
55796	M14	11	7/16	E14		17			48		
55797	M15	12	-	E16		18					
55798	M16	13	1/2	-		19	22			25	
55799	M18	14	9/16	E18		21		14	50		
55800	-	15	-	-							
55801	M20	16	5/8	E20	38	24			65		
55802	-	17	-	-					60		
55803	y M22	18	-	E22		26	23		75	20	•
55804	M24	19	3/4	E24		28	24		60		
55805	M25	20	-	-		28	24		80		
55806	M26	21	13/16	-		30	26	17	70	15	
55807	M28	22	7/8	-					85		
55808	M30	24	15/16	-		32			95		
55833	-	-	1	-	40	34	28	19	115	10	
55809	M34	27	1.1/16	-		42	36		140		
55834	-	-	1.1/8	-		43	38	20	155	8	
55810	M38	30	1.3/16	-		44	40	22	180		


DIN 3120



y 100% mirror polished chrome plating

\*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

**SOCKET WRENCHES 1/2" SCREW EXTRACTOR FOR 50% ROUNDED OFF NUTS**



COD.	AF (mm)	L (mm)	A (mm)	B (mm)	C (mm)	g	Icon 1	Icon 2
55795	10		15,5			47		
55796	11		17			48		
55797	12		18					
55798	13		19					
55799	14		21	22	14	50	25	
55800	15							
55801	16	38	24			65		
55802	17					60		
55803	18	y	26	23		75	20	•
55804	19					60		
55805	20		28	24		80	15	
55806	21		30	26	17	70		
55807	22					85		
55808	24		32	28		95	10	
55809	27	42	36	32	20	140	8	
55810	30	44	40	35	22	180		







DIN 3120

**EGA Master**  
**ART IN INNOVATION**


y 100% mirror polished chrome plating





### ADAPTER 1/2"

COD.				
65885	1/2-3/8	50	6	•
65882	1/2-3/4	125		




### BALL RETAINER ADAPTER 1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
66388	1/2"-1/4"	38	11	22	15	45	6	•









### ADAPTER BIT FOR IMPACT SOCKETS 1/2"

COD.		L (mm)		
61697	1/2"-1/4"	70	46	6






### SPARK PLUG SOCKETS 1/2"



COD.			L (mm)	A (mm)	B (mm)	H (mm)			
61462	1/2	16	65	22	22	14	100	6	•
61463	1/2	21		28	24	16	150		



### SWIVEL HANDLE 1/2"

COD.		L (mm)		
61441	1/2	390	0 - 180°	650



### QUICK RELEASE SWIVEL HANDLE 1/2"

COD.		L (mm)		
61483	1/2	430	900	5





### TELESCOPIC SWIVEL HANDLE 1/2"

COD.	AF inch	L min. (mm)	L max. (mm)	g	
<b>61484</b>	1/2	430	650	1150	5



### EXTENSION 1/2"

COD.	AF inch	L (inch)	g		
<b>61453</b>		3	135		
<b>61455</b>		5	220		•
<b>61458</b>	1/2	10	370	5	
<b>61464</b>		15	590		-
<b>61472</b>		20	740		



DIN 3123

### FLEXIBLE HANDLE 1/2"

COD.	AF inch	L (inch)	g	
<b>62119</b>	1/2	8	300	5




DIN 3122

### WOBBLE DRIVE EXTENSION 1/2"

COD.	AF inch	L (inch)	g	
<b>59104</b>		2	90	
<b>59105</b>	1/2	5	220	5
<b>59106</b>		10	420	



### SPEEDER HANDLE 1/2"




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g	
<b>61434</b>	1/2	410	130	145	95	550	5



DIN 3122

### REVERSIBLE RATCHET HANDLE 1/2"




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g		
<b>61430</b>	1/2	230	39	31	45	550	6	•



DIN 3122





**REVERSIBLE RATCHET HANDLE 1/2"**




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
<b>62606</b>	1/2	250	42	36	37	28	560	6	●

DIN 3122




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
<b>61168</b>	1/2	280	45	40	25	25	540	6	●




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
<b>57410</b>	1/2	310	40	36	72	28	750	6	●

DIN 3122



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
<b>57413</b>	1/2	450	37	36	38	28	880	6	●

DIN 3122



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
<b>57416</b>	1/2	380	42	36	38	28	710	6	●

DIN 3122



**SLIDING T-HANDLE 1/2"**

COD.	AF inch	L (mm)	g		
<b>61440</b>	1/2	250	160	5	•

DIN 3122



**UNIVERSAL JOINT 1/2"**

COD.	AF inch	g		
<b>61437</b>	1/2	140	10	•

DIN 3123



**EXTENSION 1/2"**

COD.	AF inch	L (inch)	g		
<b>62732</b>	3/8	2	50	5	•
<b>61459</b>		3	65		
<b>61447</b>		6	120		
<b>61449</b>		8	175		
<b>61450</b>		10	240		
<b>59095</b>		14	340		
<b>59096</b>		24	600		
<b>59097</b>		36	850		

DIN 3123



**FLAT ADAPTER 1/2"**





COD.	IN (inch)	OUT (inch)	L (mm)	Ø 1 (mm)	g
<b>59123</b>	1/2	3/4	22	44	60






## KITS - SETS 1/2"






### 11 PCS.- 1/2"

COD.		PCS.			
<b>58714</b>	1/2	11	LONG PATTERN	51053	2,5




PCS.	Composition	Description			
9	67805, 67806, 67807, 67808, 67809, 67810, 67811, 67812, 67813	Long pattern socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"		-
1	62606	Ratchet	-		
	61455	Extension	5"		








COD.		PCS.			
<b>58720</b>	1/2	11	STANDARD PATTERN	51079	1,8

PCS.	Composition	Description			
9	57179, 57180, 57181, 57182, 57183, 57184, 57185, 57186, 57187	Torx® socket wrenches	E10-E11-E12-E14-E16-E18-E20-E22-E24		-
1	62606	Ratchet	-		
	61455	Extension	5"		






### 12 PCS.- 1/2"




COD.		PCS.			
<b>58711</b>	1/2	12	STANDARD PATTERN	51079	1,7






PCS.	Composition	Description			
10	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61391, 61394	Socket wrenches	10-11-12-13-14-15-17-19-22 mm		-
1	62606	Ratchet	-		
	61455	Extension	5"		



COD.		PCS.			
<b>58713</b>	1/2	12	LONG PATTERN	51053	2,6

PCS.	Composition	Description			
10	67780, 67781, 67782, 67783, 67784, 67785, 67786, 67787, 67789, 67792	Long pattern socket wrenches	10-11-12-13-14-15-16-17-19-22 mm		-
1	62606	Ratchet	-		
	61455	Extension	5"		





COD.		PCS.			
<b>58712</b>	1/2	12	STANDARD PATTERN	51079	1,8

PCS.	Composition	Description			
10	60481, 60482, 60483, 60484, 60485, 60486, 60487, 60488, 60490, 60491	Socket wrenches	3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"		-
1	62606	Ratchet	-		
	61455	Extension	5"		

## KITS - SETS 1/2"

### 16 PCS.- 1/2"



COD.		PCS.			
<b>58723</b>	1/2	16	STANDARD AND CROWFOOT PATTERN	51053	2,8

PCS.	Composition	Description		
8	60487, 60488, 60489, 60490, 60491, 60492, 60495, 60497	Socket wrenches	11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-1.1/16"-1.3/16"	
4	57251, 57253, 57255, 57257	Open-end Crowfoot wrenches	15/16"-1.1/16"-1.3/16"-1.5/16"	
1	62606	Ratchet	-	
2	61453, 61458	Extension	3"-10"	
1	61437	Universal joint	-	





### 17 PCS.- 1/2"

COD.		PCS.		
<b>61796</b>	1/2	17	STANDARD PATTERN	2,0



PCS.	Composition	Description		
16	61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61812, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-22-24-27-30-32 mm	
1	62606	Ratchet	-	





COD.		PCS.		
<b>61798</b>	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	60460, 60461, 60462, 60463, 60464, 60466, 60467, 60468, 60470, 60471, 60472, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	

COD.		PCS.		
<b>61797</b>	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61394, 61396, 61399, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-22-24-27-30-32 mm	
1	62606	Ratchet	-	





COD.		PCS.		
<b>61799</b>	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	60480, 60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.8/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	



## KITS - SETS 1/2"





### 18 PCS.- 1/2"

COD.		PCS.			
<b>58722</b>	1/2	18	STANDARD AND CROWFOOT PATTERN	51053	4,0



PCS.	Composition	Description		
9	61389, 61390, 61391, 61392, 61393, 61394, 61395, 61399, 61402	Socket wrenches	17-18-19-20-21-22-22-23-27-27-30 mm	
5	57226, 57228, 57231, 57234, 57236	Open-end Crowfoot wrenches	22-24-27-30-32 mm	
1	62606	Ratchet	-	
2	61453, 61458	Extension	3"-10"	
1	61437	Universal joint	-	








COD.		PCS.			
<b>58715</b>	1/2	18	STANDARD PATTERN	51053	3,3

PCS.	Composition	Description		
14	60460, 60461, 60462, 60463, 60464, 60465, 60466, 60459, 60467, 60468, 60469, 60470, 60471, 60472	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61437	Universal joint	-	




### 19 PCS.- 1/2"





COD.		PCS.			
<b>55668</b>	1/2	19	STANDARD PATTERN	51071	3,5

PCS.	Composition	Description		
14	55795, 55796, 55797, 55798, 55799, 55801, 55803, 55804, 55805, 55806, 55807, 55808, 55809, 55810	Spline	M12, M14, M15, M16, M18, M20, M22, M24, M25, M26, M28, M30, M34, M38	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	






### 20 PCS.- 1/2"





COD.		PCS.			
<b>55599</b>	1/2	20	STANDARD PATTERN	51053	3,5

PCS.	Composition	Description		
16	61800, 61801, 61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61815, 61816	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61437	Universal joint	-	











## KITS - SETS 1/2"

COD.		PCS.			
<b>55600</b>	1/2	20	STANDARD PATTERN	51079	3,0

PCS.	Composition	Description			
16	61380, 61381, 61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61393, 61394, 61395, 61396	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm		-
1	62606	Ratchet	-		
2	61455, 61458	Extension	5"-10"		
1	61437	Universal joint	-		











COD.		PCS.			
<b>55601</b>	1/2	21	STANDARD PATTERN	51053	4,0

PCS.	Composition	Description			
16	61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm		-
1	62606	Ratchet	-		
2	61455, 61458	Extension	5"-10"		
1	61440	Sliding T-handle	-		
1	61437	Universal joint	-		





### 25 PCS.- 1/2"






COD.		PCS.			
<b>61960</b>	1/2	25	STANDARD PATTERN	51053	4,5

PCS.	Composition	Description			
20	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61398, 61399, 61400, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm		-
1	62606	Ratchet	-		
2	61455, 61458	Extension	5"-10"		
1	61440	Sliding T-handle	-		
1	61437	Universal joint	-		










COD.		PCS.			
<b>61963</b>	1/2	25	STANDARD PATTERN	51053	4,5

## KITS - SETS 1/2"

PCS.	Composition	Description		
20	60480, 60481, 60482, 60483, 60484, 60485, 60486, 60479, 60487, 60488, 60489, 60490, 60491, 60492, 60493, 60494, 60495, 60496, 60497, 60498	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-31/32"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	

### 25 PCS.- 1/2"







COD.		PCS.		
<b>55602</b>	1/2	25	STANDARD PATTERN	51053

PCS.	Composition	Description		
21	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61397, 61398, 61399, 61400, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm	
1	62606	Ratchet	-	
1	61455	Extension	5"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	





### 26 PCS.- 1/2"







COD.		PCS.		
<b>58716</b>	1/2	26	STANDARD PATTERN	50974

PCS.	Composition	Description		
20	60460, 60461, 60462, 60463, 60464, 60465, 60466, 60459, 60467, 60468, 60469, 60470, 60471, 60472, 60473, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-31/32"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	
1	61434	Speeder handle	-	



### 28 PCS.- 1/2"




COD.		PCS.		
<b>55597</b>	1/2	28	STANDARD PATTERN	50974







PCS.	Composition	Description		
22	61800, 61801, 61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61815, 61816, 61818, 61819, 61820, 61821, 61822, 61823	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24-26-27-28-29-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	
1	61434	Speeder handle	-	





## KITS - SETS 1/2"







COD.		PCS.			
<b>55598</b>	1/2	28	STANDARD PATTERN	50974	6,0

PCS.	Composition	Description		
22	61380, 61381, 61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61393, 61394, 61395, 61396, 61398, 61399, 61400, 61401, 61402, 61403	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24-26-27-28-29-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61440	Sliding T-handle		
1	61437	Universal joint	-	
	61434	Speeder handle		






### 30 PCS.- 1/2"







COD.		PCS.		
<b>58721</b>	1/2	30	STANDARD PATTERN	5,0

PCS.	Composition	Description		
1	62606	Ratchet	-	
	61455	Extension	5"	
10	66807, 66808, 66809, 66810, 66811, 66812, 66813, 55706, 66814, 55708	Hex bit socket	4-5-6-7-8-10-12-13-14-17 mm	
	55704, 55705, 55707		7/32"-3/8"-3/4"	
3	66801, 66802, 66803	Flat bit socket	8 x 1,2 - 10 x 1,6 - 12 x 2	
	66804, 66805, 66806	Phillips® bit socket	PH2-PH3-PH4	
9	66830, 66831, 66832, 66833, 66834, 66835, 66836, 66837, 56895	Torx® bit socket	T20-T25-T27-T30-T40-T45-T50-T55-T60	



### 35 PCS.- 1/2"




COD.		PCS.			
<b>55603</b>	1/2	35	STANDARD PATTERN	50974	6,0








PCS.	Composition	Description		
11	61802, 61803, 61805, 61806, 61809, 61811, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-13-14-17-19-22-24-27-30-32 mm	
19	60460, 60461, 60459, 60462, 60463, 60464, 60465, 60466, 60467, 60468, 60469, 60470, 60471, 60472, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61437	Universal joint		
1	61434	Speeder handle		



## KITS - SETS 1/2"




### 41 PCS.- 1/2"







COD.		PCS.			
<b>61793</b>	1/2	41	STANDARD PATTERN	50974	5,5

PCS.	Composition	Description			
18	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61399, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm		-
15	60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498		3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"		
1	62606	Ratchet	-		
2	61455, 61458	Extension	5"-10"		
	61440	Sliding T-handle			
1	61437	Universal joint	-		
	61441	Swivel handle			
2	61462, 61463	Spark plug sockets	16 mm-21 mm		











### 33 PCS.- 1/2"

COD.		PCS.			
<b>65074</b>	1/2	33	STANDARD AND LONG PATTERN	50974	6,0

PCS.	Composition	Description			
15	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm		-
10	67780, 67781, 67782, 67783, 67784, 67785, 67786, 67787, 67788, 67789	Long pattern socket wrenches	10-11-12-13-14-15-16-17-18-19 mm		
1	62606	Ratchet	-		
3	61453, 61455, 61458	Extension	3"-5"-10"		
	61441	Swivel handle			
1	61437	Universal joint	-		
2	61462, 61463	Spark plug sockets	16 mm-21 mm		










COD.		PCS.			
<b>65075</b>	1/2	33	STANDARD AND LONG PATTERN	50974	7,0

PCS.	Composition	Description			
15	60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498	Socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"		-
10	67805, 67806, 67807, 67808, 67809, 67810, 67811, 67812, 67813, 67814	Long pattern socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"		
1	62606	Ratchet	-		
3	61453, 61455, 61458	Extension	3"-5"-10"		
	61441	Swivel handle			
1	61437	Universal joint	-		
2	61462, 61463	Spark plug sockets	5/8"-13/16"		

## KITS - SETS 1/2"








1/2" - 3/4"

7 PCS.- 1/2" - 3/4"








COD.		PCS.		
<b>58710</b>	1/2 - 3/4	7	STANDARD PATTERN	1,6
PCS.	Composition	Description		
1	62606	1/2" Ratchet	-	
	61440	1/2" T-handle	-	
	65882	Adaptor	1/2" - 3/4"	
	53170	3/4" Hex bit socket	22 mm	
2	66814, 55708	1/2" Hex bit socket	11, 17 mm	
1	55696		3/4"	









18 PCS.- 1/4" - 1/2"

COD.		PCS.		
<b>58726</b>	1/2, 1/4	18	STANDARD PATTERN	2,5
PCS.	Composition	Description		
7	61385, 61386, 61387, 61388, 61389, 61391, 61394	1/2" Socket wrenches	13-14-15-16-17-19-22 mm	
1	62606	1/2" Ratchet	-	
	61455	1/2" Extension	5"	
7	61311, 63974, 63977, 63979, 63980, 63981, 63983	1/4" Socket wrenches	4-4,5-5-6-7-8-10 mm	-
1	62603	1/4" Ratchet	-	
	61454	1/4" Extension	3"	



COD.		PCS.		
<b>58727</b>	1/2, 1/4	19	STANDARD PATTERN	3,0
PCS.	Composition	Description		
7	60483, 60484, 60485, 60486, 60487, 60488, 60491	1/2" Socket wrenches	1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-7/8"	
1	62606	1/2" Ratchet	-	
2	61453, 61458	1/2" Extension	3"-10"	
1	61437	1/2" Universal joint	-	
7	60420, 60421, 63991, 63992, 63993, 63995, 63996	1/4" Socket wrenches	5/32"-3/16"-1/4"-9/32"-5/16"-3/8"-7/16"	-
1	62603	1/4" Ratchet	-	



COD.		PCS.		
<b>58728</b>	1/2, 1/4	19	LONG PATTERN	3,7
PCS.	Composition	Description		
7	67783, 67784, 67785, 67786, 67787, 67789, 67792	1/2" Long pattern socket wrenches	13-14-15-16-17-19-22 mm	
1	62606	1/2" Ratchet	-	
2	61453, 61458	1/2" Extension	3"-10"	
1	61437	1/2" Universal joint	-	
7	67640, 67641, 67660, 67662, 67663, 67664, 67666	1/4" Long pattern socket wrenches	4-4,5-5-6-7-7,8-10 mm	-
1	62603	1/4" Ratchet	-	